# SUN PROTECTION

BRUSTOR®
OUTDOOR SUN SYSTEMS

EN



# SHADING FOR PATIOS, BALCONIES AND CONSERVATORIES

**B27**

Cassette: RAL 9005 ST | Fabric: Souris 8396

CONTENTS


The Brustor guarantee 4

Types of shading 6

Why opt for retractable awnings? 8

Retractable awnings 10

Screens 28

Conservatory awnings 46

Pergolas 52

Characteristics and options 58

Fabrics 60


Scan the QR code for our Outdoor Living brochure.

# BRUSTOR GUARANTEES EXCEPTIONAL FINISHING

Brustor's **timeless design** complements any style. Whether you live in the country or have an ultra-modern home, a house or a flat. Brustor's sun protection solutions stand for **durable and stylish comfort**.

Thanks to a wide range of possibilities and **additional options**, every detail of your shading solution can be personalised.

That is the Brustor guarantee.

This brochure is sure to offer inspiration...

WE CREATE DAZZLING SHADING SOLUTIONS

**B27 Elite**

Cassette: RAL 9005 ST | Fabric: Noir

There's nowhere you'd rather spend your time on sun-drenched days than your own patio or balcony covered with a Brustor awning. Create a pleasant place to relax in the blink of an eye, or at the push of a button.

At the same time, shield your home from the sun to ensure the greatest possible comfort and a pleasant climate inside.

## OUR WARRANTIES, YOUR COMFORT

- 5 years' general warranty on cassette, parts and posts.
- 10 years Brustor guarantee on the moving parts of the awning
- 2 years on LED lighting and heating

## RETRACTABLE AWNINGS

Retractable awnings are the perfect answer for creating shade on a patio or balcony, and to keep out bright sunlight. House, flat or shop; for every application and any style, we are sure to have a suitable solution available. Simply to install, easily to operate and highly durable.

**Page 10**

## SCREENS

Screens are highly recommended to keep out the sun on hot days, ensuring your home stays comfortable and reducing glare. Fit tautly over your windows, they provide a stylish accent to your home. Did you know there are also solar-powered screens available? And screens for indoors? Get inspired by this brochure!

**Page 28**

## CONSERVATORY AWNINGS

In a veranda, conservatory or area with a skylight, temperatures can rise quickly on sunny days. Conservatory awnings with a taut sun-blocking fabric help to prevent overheating. Our conservatory awnings are stylish yet simple to install, regardless of the type of construction.

**Page 46**

# FOUR TYPES OF SHADING

## PERGOLA

Attached to your home and in your preferred style. Offering a panoramic view of your garden and plenty of natural light in your home. Pergolas combine all the benefits of an awning with the advantages of a patio roof.

**Page 52**

## FOUR SEASONS OF ENJOYMENT

A pergola, retractable awning or conservatory awning. Whichever shading solution you choose, you'll be able to enjoy the sun in the shade with Brustor. From early spring to late autumn, turn your patio or veranda into a pleasant spot to spend time outdoors, one that suits your home perfectly and keeps the sun out.

# WHY OPT FOR RETRACTABLE AWNINGS?

THREE REASONS

## 1/ PURE ENJOYMENT

Awnings ensure that you can fully enjoy your patio or balcony on sunny days. Enjoy your garden to the fullest even when it's summery and hot outside, in the cooling shade of your awning.

## 2/ PLEASANT INDOOR CLIMATE

Retractable awnings allow you to control the temperature inside your home on sunny days. Next to being able to enjoy the sun from a shaded patio, you also create a pleasantly cool climate indoors.

## 3/ PERSONALISED TO YOUR WISHES

All Brustor awnings are made to measure to fit your home and preferences. Our retractable awnings are available in various designs and configurations. You can also choose from a wide range of colours, fabrics, finishes and additional options.

# RETRACTABLE AWNINGS

SUN PROTECTION FOR BALCONIES AND TERRACES

**B24 B25 B27** Page 14

**B35 B38** Page 20

**B50S** Page 22

**B50XL** Page 24

**B50** Page 26

**TWINSTOR** Page 27

**B27**

Cassette: RAL 7016 ST | Fabric: Souris 8396

# THE IDEAL AWNING FOR YOUR HOME

RETRACTABLE AWNINGS ARE ONE OF THE MOST POPULAR TYPES OF SHADING. THAT IS NO COINCIDENCE

## PERFECT SHADE

With retractable awnings, you can keep out the sun on hot days while still admitting plenty of light and heat in cooler months.

## MADE TO MEASURE

All retractable awnings are made to measure and available in various designs and configurations.

## EASY OPERATION

Our awnings are fitted with a Somfy motor and easily operated by remote control or smartphone.

**B25 Elite Volant**

Cassette: Brustor White | Fabric: Pigeon

## 1/ STANDARD

- Cast elbow and 2 steel cables
- Wind-resistant up to 39 km/h (5 Beaufort)
- Maximum projection: 3 m
- Optional: lighting below the cassette

## 2/ ELITE

- Cast elbow and 4 sturdy steel cables
- Wind-resistant up to 39 km/h (5 Beaufort)
- Maximum projection: 4 m
- Optional: LED strip along entire arm, dimmable or non-dimmable

## 3/ PRESTIGE

- Forged elbow and 4 steel cables
- Greater wall thickness than Standard or Elite arms
- Resistant against gusts up to 49 km/h (6 Beaufort)
- Optional: non-dimmable LED spotlights in elbows
- All RAL colours available

**10**

YEARS' WARRANTY ON MOVING PARTS

| TYPE ARM | STANDARD | ELITE | PRESTIGE |
|---|---|---|---|
| Max. load of elbow | 100 kg cast aluminium | 105 kg cast aluminium | 130 kg forged aluminium |
| Arm height | 66 mm | 71 mm | 73 mm |
| Thickness of profile | 2,5 mm | 2,5 mm | 3 mm |
| Wind resistance | up to 39 km/h | up to 39 km/h | up to 49 km/h |
| Compatibility | B25, B27, B50, B50S | B24, B25, B27 Elite, B35, B38, B50 XL | B24, B25, B27 Prestige B35, B38 Prestige |

# B24 ELITE/PRESTIGE

ELEGANTLY POWERFUL

Scan the QR code to learn more about our B24 awning.

If you're looking for a solid awning, the B24 Elite and the B24 Prestige in particular are ideal. Their sturdiness and wind resistance are exceptional, as is the weather-resistance of the aluminium parts and quality of the fabric. Their timeless, elegant design complements any architectural style.

B24 ELITE / PRESTIGE (wall-mounted)

B24 ELITE / PRESTIGE (ceiling-mounted)

| DIMENSIONS | ELITE | PRESTIGE |
|---|---|---|
| ⟷ | min. 2,05 m - max. 14,00 m (linked from 7.01 m) | min. 3,53 m - max. 14,00 m (linked from 7.01 m) |
| → | Projection: 1,50 m - 2,00 m- 2,50 m 3,00 m - 3,50 m - 3,75 m | Projection: 3,00 m - 3,50 m - 3,75 m |
| | cassette: 22.0 cm height x 14.7 cm depth | |
| | Somfy IO or RTS motor with wireless controller | |

* Possible projection depends on awning width.

## ELITE COLOURS

BRUSTOR WHITE | RAL 9001 | ANO 20 µm | RAL 7016 ST | RAL 9005 ST | OPTION

## PRESTIGE COLOURS

Prestige available in any RAL colour

# B25 STANDARD/ELITE/PRESTIGE

THE ORIGINAL

Scan the QR code
to learn more about
our B25 awning.

The B25 is Brustor's original product and remains our most popular retractable awnings, which is no coincidence. Its construction, design and ease of use are timeless and unparalleled.




B25




B25 ELITE/
PRESTIGE




B25 ELITE /
PRESTIGE
VALANCE

| DIMENSIONS | STANDARD | ELITE | PRESTIGE |
|---|---|---|---|
| |◀▶| | Min. 2.05 m – max. 14.00 m (linked from 7 m) | | Min. 3.49 m – max. 14.00 m (linked from 7 m) |
| → | Projection:1.50 m – 2.00 m – 2.50 m – 3.00 m | Projection:1.50 m – 2.00 m – 2.50 m – 3.00 m – 3.50 m – 3.75 m | Projection:3.00 m – 3.50 m – 3.75 m |
| ▭ | Cassette: 19.7 cm height x 14.0 cm depth | Cassette: 22.0 cm height x 14.7 cm depth | |
| ⚙ | Somfy IO or RTS motor with wireless controller | | |

*Possible projection depends on awning width.

## STANDARD/ELITE COLOURS

BRUSTOR WIT | RAL 9001 | ANO 20 µm | RAL 7016 ST | RAL 9005 ST | OPTION

## PRESTIGE COLOURS

Prestige available in any RAL colour

# B27 STANDARD/ELITE/PRESTIGE

## MODERN LIVING

Scan the QR code
to learn more about
our B27 awning.

The B27 is perfect for modern living.
The cassette has a sleek, architectural
design and can be integrated easily
into your façade.




B27




B27 ELITE/PRESTIGE

| DIMENSIONS | STANDARD | ELITE | PRESTIGE |
|---|---|---|---|
| |←→| | Min.2.05 m – max.14.00 m (linked from 7 m) | | Min.3.49 m – max.14.00 m (linked from 7 m) |
| → | Projection: 1.50 m – 2.00 m – 2,50 m - 3,00 m | Projection: 1.50 m – 2.00 m – 2.50 m –3.00 m – 3.50 m – 3.75 m | Projection: 3.00 m – 3.50 m – 3.75 |
| | cassette: 19.7 cm height x 14.0 cm depth | Cassette:22.0 cm height x 14.7 cm depth | |
| | Somfy IO or RTS motor with wireless controller | | |

*Available projection depends on awning width.

## STANDARD/ELITE COLOURS

BRUSTOR WHITE | RAL 9001 | ANO 20 µm | RAL 7016 ST | RAL 9005 ST | OPTION

## PRESTIGE COLOURS

Prestige available in any RAL colour

# B35 ELITE/PRESTIGE

## LARGE, LARGER, LARGEST

Our wide, wind-resistant B35 awning has a projection up to 4 metres and its fabric can be produced in one continuous piece up to 15 metres in length. The B35's sturdy, durable design makes it exceptionally stable and wind-resistant, ideal in hospitality applications.




TYPE I




TYPE K

### COLOURS ELITE

| BRUSTOR WHITE | RAL 9001 | ANO 20 µm | RAL 7016 ST | RAL 9005 ST | OPTION |
|---|---|---|---|---|---|

| DIMENSIONS | ELITE | PRESTIGE |
|---|---|---|
| ⟷ | Min. 2.05 m – max. 15.00 m (linked from 7.5 m) | Min. 3.53 m – max. 15.00 m (linked from 7.5 m) |
| → | Projection: 1.50 m - 2.00 m- 2.50 m 3.00 m - 3.50 m - 4.00 m | projection: 3.00 m - 3.50 m - 4.00 m |
| ▭ | Cassette: 20.0 cm height x 18.2 cm depth | |
| ⚙ | IO or RTS motor with controller | |

*Possible projection depends on awning width.

Scan the QR code to learn more about our B35 awning

# B38 ELITE/PRESTIGE

## LOW SUN, HIGH COMFORT

In need of more shade due to the south-west orientation of your home? Or do you want more privacy? Thanks to a drop-down valance, our B38 retractable awning offers excellent protection against low sun (and nosey neighbours).




TYPE I




TYPE K

### PRESTIGE COLOURS

Prestige available in any RAL colour.

| DIMENSIONS | ELITE | PRESTIGE |
|---|---|---|
| | Min. 2.05 m – max. 6.0 m | min. 3.50 m – max. 6.0 m |
| | Projection: 1.50 m - 2.00 m - 2.50 m - 3.00 m - 3.50 m | Projection: 3.00 m - 3.50 m |
| | Motor with switch | RTS or IO motor with controller |
| | Cassette: 20.2 cm height x 21.5 cm depth | |
| | valance: varies, up to 1.30 m | |

Scan the QR code to learn more about our B38 awning



# B50S

EVERYTHING UNDER CONTROL

Scan the QR code
to learn more about
our B50S awning.



The B50S provides your patio with the perfect amount of shade while also admitting plenty of light and heat into your home in cooler months. It has a maximum projection of 3 metres and can be easily mounted to a wall or ceiling, making it ideal for use in flats. . Its sleek, elegant design is the cherry on the cake. Set the mood with optional integrated cassette lighting.

## COLOURS

| BRUSTOR WHITE | RAL 9001 | RAL 7016 ST | RAL 9005 ST | OPTION |
|---|---|---|---|---|

## DIMENSIONS

| | |
|---|---|
| | min. 2.05 m - max. 5.50 m |
| | 1.50 m - 2.00 m - 2.50 m - 3.00 m |
| | 12.6 cm height x 20.55 cm depth |
| | Somfy RTS or IO motor with remote control |

*Possible projection depends on awning width.

# B50 XL

EVEN MORE ENJOYMENT

Scan the QR code
to learn more about
our B50XL awning.




WALL-MOUNTED




CEILING-MOUNTED

Our B50XL is a budget-friendly awning with a fully enclosed cassette. This way, the fabric and mechanism receive the greatest possible protection against rain and wind. Thanks to the extra strong housing and optional LED strip in the cassette, it is an ideal solution for covered patios. Particularly as this awning is easy to mount to a wall or ceiling.

## DIMENSIONS

| | |
|---|---|
| min. 2.05 m - max. 6 m | |
| Projection: 1.50 m - 2.00 m - 2.50 m - 3.00 m - 3.50 m | |
| cassette: 17.7 cm heigth x 25.7 cm depth | |
| Somfy IO or RTS motor with remote control | |

*Possible projection depends on awning width.

## COLOURS

| BRUSTOR WHITE | RAL 9001 | ANO 20 µm | RAL 7016 ST | RAL 9005 ST | OPTION |
|---|---|---|---|---|---|

Scan the QR code
to learn more about
our B50 awning.

# B50

## COMPACT EYECATCHER

The B50 is a compact screen with a fully enclosed cassette that makes an impression both aesthetically and technically. This awning can be mounted to either a wall or ceiling.

- Awning up to 5.5 m in width
- Easy mounting with wall or ceiling bracket




WALL-MOUNTED




CEILING-MOUNTED

### DIMENSIONS

| | |
|---|---|
| | min. 2.05 m - max. 5.50 m |
| | projection: 1.50 m - 2.00 m - 3.00 m |
| | cassette: 15.2 cm heigth x 21.7 cm depth |
| | Somfy RTS or IO motor with remote control |

*Possible projection depends on awning width.

### COLOURS

| | | | | | |
|---|---|---|---|---|---|
| BRUSTOR WHITE | RAL 9001 | ANO 20 µm | RAL 7016 ST | RAL 9005 ST | OPTION |

# TWINSTOR

## SHADE ANYWHERE

Scan the QR code to learn more about our Twinstor.




Our Twinstor sun protection provides shade where it's needed, as this free-standing structure can be set up anywhere in your garden or on your patio.No need for a wall or veranda. Furthermore, the enclosed cassette ensures the greatest possible protection of the fabric and mechanism. Opening and closing? A remote control makes operation fast and easy.

- Free-standing structure with 2 B25 awnings (also available as B25 Elite)
- An eyecatcher for any patio
- Free-standing shading solution
- Fully enclosed cassette awnings

### DIMENSIONS

| | |
|---|---|
| ⟷ | min. 2.05 m - max. 7.00 m |
| ↕ | standard 2.7 m, in option up to 3.0 m |
| → | projection: 2 x 2.0 m of 2 x 2.5 m or 2 x 3.0 m |
| ⚙ | Motor with remote control |
| ⇱ | Shading up to 42m² |

*Possible projection depends on awning width.

### FRAME COLOURS

RAL 9007

OPTION

### RETRACTABLE SHADING COLOURS

BRUSTOR WHITE

RAL 9001

ANO 20 µm

RAL 7016 ST

RAL 9005 ST

OPTION

# SCREENS

A COMFORTABLE CLIMATE IN YOUR HOME

**B1085, B1100, B1350 ZIP** Page 34

**B1100 & B1350 ZIP SOLAR** Page 36

**B1100 PRESTIGE** Page 38

**B1200 ZIP** Page 40

**CORNER SCREENS** Page 42

**INDOOR SCREENS** Page 43

**WINDBLOCKER** Page 44

**B2100 PROJECTION AWNING** Page 45

# SCREENS

## SUN PROTECTION FOR EXTERIORS AND INTERIORS

Sun protection screens keep the heat out. They are an ideal solution for homes with large expanses of glass, but are worth considering in other applications too. In a new build or a renovation project, for example. Besides shade, screens offer plenty of other advantages.

- Flies and mosquitoes are kept at bay.
- Screens with a blackout fabric ensure sound sleep.
- Thanks to the ZIP technology, the screens can withstand strong winds.
- Operation is very simple and can be done by switch, remote control or smartphone.
- These screens can also be installed on the inside of your windows

No power connection available? In that case, you can choose to mount solar-powered screens on the outside of your windows. Brustor offers suitable solutions for all situations!

## SELECT YOUR SCREEN

Brustor offers sun protection screens for every application. See the overview of our solutions below.

**The choice is yours!**

# SELECT YOUR BRUSTOR SCREEN

| DIMENSIONS | B1085 C ZIP / B1085 SR ZIP | B1100 C ZIP / B1100 SR ZIP | B1100 ZIP PRESTIGE | B1350 C ZIP | B1200 ZIP |
|---|---|---|---|---|---|
| ⟷ | Max. 3.6 m (7.2 m linked) | Max. 4.0 m (7.2 m linked) | Max. 3.5 m | Max. 6.0 m | Max. 5.0 m |
| ↕ | Max. 1.8 m | max 3.5 m | max 3.5 m | max 6.0 m | max 3.5 m * |
| ▨ | 6.5 m² (13,0 m²) | 14.0 m² (25,2 m²) | 14.0 m² (25.2 m²) | 18.0 m² | 12.0 m² |
| ∅ | 63 mm | 78 mm | 78 mm | 85 mm - 100 mm | 78 mm - 85 mm ** |
| ▭ | B1085 8.5 x 8.5 cm<br>B1085 SR 8.5 x 8.5 cm | B1100 C 11 x 11 cm<br>B1100 ZIP 11 x 11 cm | 11 x 11 cm | 13.5 x 13.5 cm | 16.5 x 12 cm |




* 2.2 m option for surface-mounted pergola
** 100 mm option for surface-mounted pergola

## COLOURS

BRUSTOR WHITE | RAL 9001 | ANO 20 µm | RAL 7016 ST | RAL 8019 | OPTION

## FABRICS

- Serge 600 mesh screen (fibreglass)
- Soltis 86
- Soltis 92
- Sergé 1%
- Sergé 600 Solar/Lunar

## CHARACTERISTICS

Protection against wind, sun and insects

## GUIDE DIMENSIONS

ZIP Screw guide with screws




ZIP Clips guide without screws




ZIP Screw guide with screws for B1100 ZIP Prestige



# B1085, B1100 & B1350 ZIP

KEEP OUT THE SUN

Scan the QR code to learn more about our ZIP screens.

ZIP screens with sun protection ensure perfect climate control inside your home. In style, because thanks to the unique zip system the fabric remains tautly stretched day after day. Need more privacy? Opt for Sergé 600 1% privacy mesh, ensuring that no-one can see in, but your own view out is unimpeded. A major benefit compared to roller blinds..

Rounded cassette

Straight cassette



System ensures perfectly taut fabric

## COLOURS

| BRUSTOR WHITE | RAL 9001 | ANO 20 µm | RAL 7016 ST | RAL 8019 | OPTION |
|---|---|---|---|---|---|




ZIP Clips




ZIP Screw

| DIMENSIONS | B1085 SR/C ZIP | B1100 SR/C ZIP | B1350 SR/C ZIP |
|---|---|---|---|
| | max 1.8 m | max 3.5 m | max 6.0 m |
| | 0.8 - 3.6 m | 0.8 - 4.0 m | 0.8 - 6.0 m |
| | 1.6 m - 7.2 m | | not compatible |
| | 6.5 $m^2$ - 13 $m^2$ | 14 $m^2$ - 25.2 $m^2$ | max 18 $m^2$ |
| | 8.5 cm x 8.5 cm | 11 cm x 11 cm | 13.5 cm x 13.5 cm |
| | Mesh screen (Sergé 600) – Soltis 86 – Soltis 92 – Blockout Lunar (light-blocking) | | |
| | Somfy IO/RTS motor | | |

# B1100 & B1350 ZIP SOLAR

ECO-FRIENDLY SHADING

Scan the QR code to learn more about our B1100 & B1350 ZIP SOLAR.

Solar-powered ZIP screens are a sustainable, eco-friendly solution. This wind-resistant shading is ideal for locations without mains power. The battery means you are always assured of sufficient power, even on north-facing façades. As there isn't any wiring, no demolition work is required. Convenient if you wish to install screens higher up.

somfy PRO

7 YEARS' WARRANTY ON MOTOR

+ SOLAR PANEL

+ BATTERY

## COLOURS

| BRUSTOR WHITE | RAL 9001 | ANO 20 µm | RAL 7016 ST | RAL 8019 | OPTION |
|---|---|---|---|---|---|

## DIMENSIONS

| | |
|---|---|
| | Mesh screen (Sergé 600) – Soltis 86 – Soltis 92 – Blockout Lunar (light-blocking) |
| | Up to 5 m (linked up to 7.2 m) |
| | Up to 5 m (B1350) |
| | Somfy motor with remote control (IO or RTS) |

# B1100 ZIP PRESTIGE

PURE ELEGANCE

Scan the QR code to learn more about our B1100 Prestige.







The B1100 ZIP Prestige's front rail disappears partially into its cassette, making this Brustor's screen with a minimum cassette height.

Our wind-resistant B1100 ZIP Prestige screen ensures perfect protection against sun and insects. Thanks to a unique zip closure, the screen is firmly retained in its guides under all circumstances.
The front rail disappears partially into the screen's elegantly square cassette, making this Brustor's most compact screen. A patented integrated motor cable system makes it easy to remove the roller tube in order to replace the fabric or motor.
The flexible PVC profile prevents damage to the fabric.

## COLOURS

| BRUSTOR WHITE | RAL 9001 | RAL 7016 ST | RAL 8019 | OPTION |
|---|---|---|---|---|

## DIMENSIONS

| | |
|---|---|
| Mesh screen | Mesh screen (Sergé 600) – Soltis 86 – Soltis 92 – Blockout Lunar (light-blocking) |
| Height | 3.5 m |
| Width | 3.5 m |
| Motor | Somfy motor with remote control (IO or RTS) |



A patented integrated motor cable system makes it easy to remove the roller tube in order to replace the fabric or motor.

# B1200 ZIP

## FOR LARGE WINDOWS

Scan the QR code
to learn more about
our B1200 ZIP.

The B1200 ZIP screen is the ideal shading for homes with large expanses of glass. The screens block the sun's rays before they reach the glass, ensuring that it never gets uncomfortably warm inside. They also reduce glare on your TV or computer screen without impeding your view of the outdoors. These sun protection screens increase your home's comfort and make it more energy-efficient, as they eliminate the need for air conditioning.

- Designed for new builds
- Screen cassette and side guides suitable for flush mounting
- Bottom rail disappears into screen cassette
- Screen to be installed together with the windows
- Easy access to roller shaft and fabric




1. Cavity wall
2. Roller shaft
3. Front rail Side
4. Guide window
5. Window

## COLOURS

RAL 9016 ST

RAL 7016 ST

OPTION

All other RAL colours optionally available

## DIMENSIONS

| | |
|---|---|
| | Mesh screen (Sergé 600) – Soltis 86 – Soltis 92 – Blockout Lunar (light-blocking) |
| | Up to 5 m (linked up to 7.2 m) |
| | Up to 3.5m |
| | Somfy motor with remote control (IO or RTS) |

# CORNER SCREEN

## FOR CORNER WINDOWS

Our corner screens are designed especially for corner windows, where the glass meets in the corner. The screens have no disturbing profiles, which ensures an unobstructed view to the outside. They roll up and down at the same pace to distribute the shade evenly in the living room. The corner screens have a rectangular housing and can be combined perfectly with other Brustor screens.




Side guides with ZIP screen technology

### COLOURS

| BRUSTOR WHITE | RAL 9001 | ANO 20 µm | RAL 7016 ST | RAL 8019 | OPTION |
|---|---|---|---|---|---|

**B1100 C ZIP**

| | |
|---|---|
| ↕ | up to 3 m |
| ↔ | up to 4 m (both screens 6m) |
| ⚙ | Somfy motor with remote control (RTS or IO) |




B1100 C

Scan the QR code to learn more about our corner screens.

# INDOOR SCREEN

## ULTIMATE INTERIOR SHADING

Scan the QR code to learn more about our indoor screens.

Indoor screens are the ideal solution to provide shade inside your home. They can be discreetly built into the cavity and have a sleek design. The view of your garden is preserved, while the view to the inside is limited. Opt for projector fabric and use a beamer to project your favourite films on the screen for a realistic cinema experience. Very useful!

- Ideal solution for large expanses of glass up to 18 m2
- Elegant and functional
- For indoor applications

### COLOURS

| BRUSTOR WHITE | RAL 9001 | ANO 20 µm | RAL 7016 ST | RAL 8019 | OPTION |
|---|---|---|---|---|---|

### DIMENSIONS

| | |
|---|---|
| | Mesh screen (Sergé 600) – Soltis 86 – Soltis 92 – Blockout Lunar (light-blocking) |
| | max. 6 m |
| | 0.8 m – 6 m (cannot be linked) |
| | 18 $m^2$ |
| | motor / manual operation* |

*For smaller sizes, you can replace the motor with a crank mechanism.

# WINDBLOCKER

## WIND PROTECTION AND MORE

Scan the QR code
to learn more about
our Windblocker.

Want to keep out wind and curious looks, and create some shade as well? Our Windblocker does it all! The taut screen can be mounted to a wall or post. This vertical shading protects your patio from the wind, but is also ideal as a barrier to keep children or pets safely secured. Flexible wind protection and shading, made of durable, high-quality material. Enjoy years of worry-free protection.

- Easy manual operation
- mountable to wall or post

### COLOURS

| BRUSTOR WHITE | RAL 9001 |
|---|---|

Locking mechanism prevents the screen from moving in or out when the wind changes.

The Windblocker's built-in support wheel further increases its ease of use.

### DIMENSIONS

| | |
|---|---|
| ↕ | Acrylic fabric: from 1.275 m to 2.00 m<br>Soltis 86 fabric: from 1.275 m to 1.86 m |
| → | 2.00 m - 3.00 m - 4.00 m |

# B2100

## FOR SHADED SHOP FRONTS

Scan the QR code to learn more about our B2100 projection awning.

Our stormproof B2100 drop arm awning is perfect for shops. It protects your shop front from the sun and prevents glare. The fabric disappears fully into the cassette, maximising the view to the outside. You can also have these awnings printed with your logo or business name. Further personalisation?

Choose from a wide range of sun protection fabrics and colours.

### COLOURS

| BRUSTOR WHITE | RAL 9001 | RAL 8019 |
|---|---|---|

### DIMENSIONS

| | |
|---|---|
| | Screen, Soltis, Acryldoek |
| | 0.65 m - 5 m (linked up to 6 m) |
| | 0.80 m - 1 m - 1.20 m - 1.40 m (depending on width and Fabric type) |
| | Up to 90° or 135° |
| | IO or RTS motor (crank optional) |
| | 12.8 cm x 12.8 cm |

# CONSERVATORY AWNINGS

SHADING FOR VERANDAS, CONSERVATORIES AND SKYLIGHTS

**B126** Page 48

**B127** Page 49

**B128** Page 50

**TOPSCREEN** Page 51

**B126**

Frame: RAL 7016 ST | Doek: Pearl Grey

# B126

## FOR RECTANGULAR VERANDAS

Scan the QR code to learn more about our B126 conservatory awning..

Prevent sweltering verandas and keep out the heat with our B126 conservatory awning, the perfect solution for rectangular verandas, conservatories and sloping glass surfaces. The B126 adapts to nearly any structure. Furthermore, thanks to a patented sliding extension, it provides up to 1.25 m extra shade.

### COLOURS

| BRUSTOR WHITE | RAL 9001 | RAL 7016 ST | RAL 8019 | OPTION |
|---|---|---|---|---|

| DIMENSIONS | B126 | B126 linked |
|---|---|---|
| ⟷ | max 5 m | max 10 m |
| → | max 6 m | max 6 m |
| ⤢ | 19 m² (Acryl - Soltis 86 - Soltis 92) | 38 m² (Acryl - Soltis 86 - Soltis 92) |
| ⚙ | Motor 1x | |

# B127

FITS ANY VERANDA

Scan the QR code to learn more about our B127 conservatory awning.

The B127 allows you to control your veranda's temperature effectively. This exterior shading prevents the sun's rays from reaching the glass. The B127's guides can slide in or out, making it an ideal solution for verandas with irregular shapes or bay windows with angled or rounded corners.

- motorised conservatory awning
- 1.25m extension
- ultimate flexibility

## COLOURS

| BRUSTOR WHITE | RAL 7016 ST | OPTION |
|---|---|---|

## DIMENSIONS

| | |
|---|---|
| | max 6 m |
| | max 10 m |
| | 22 m² (Acryl) - 19 m² (Soltis 86) - 18 m² (Soltis 92) |
| | Somfy RTS or IO motor |

# B128

## FOR LARGE VERANDAS

Scan the QR code to learn more about our B128 conservatory awning.

Our B128 conservatory awning is a low-profile, stylish solution for large areas. Its supports are mounted directly to the veranda and can be placed right next to each other if using multiple modules. The ingenious zip system and the patented ZIP screen technology ensure that the fabric remains extremely tight, stretched in the side rails, and is therefore resistant to strong winds.

The Fabric fabric is held taut in its guides thanks to the ZIP screen technology's continuous tensioning.



### COLOURS

RAL 9016 ST

RAL 7016 ST

OPTION

### DIMENSIONS

| | |
|---|---|
| ⟷ | max 6 m |
| → | max 5 m |
| ⚙ | Somfy RTS or io motor |

# TOPSCREEN

## COMPACT CONSERVATORY AWNING

Scan the QR code to learn more about our Topscreen shading.

Topscreen offers compact shading for horizontal and sloped windows, skylights, verandas and conservatories. Thanks to the spring system with ZIP screen technology, the fabric stays taut in any position, even in strong winds. Brustor Topscreen meets the strictest European standards for wind resistance.

- Resistant up to 6 Bft
- High-quality sun protection or light-blocking fabric

### COLOURS

| BRUSTOR WHITE | RAL 9001 | RAL 7016 ST | RAL 8019 | OPTION |
|---|---|---|---|---|

### DIMENSIONS

| | |
|---|---|
| | Soltis 86 – Soltis 92 – Sergé 600 Solar/Lunar (light-blocking) |
| | up to 3 m / linked up to 6 m |
| | up to 3 m |
| | 0 - 90° |
| | Motor with switch or controller |
| | 11 x 11 cm |

# PERGOLA

SUN PROTECTION AND PERGOLA IN ONE

**B128 PERGOLA** Page 54

**B128 Pergola**

Frame: RAL 7016 ST | Fabric: U171 Carbone

# B128

## PURE & PERSONAL

Scan the QR code to learn more about our B128 P pergola.

The Brustor B128 pergola is a very versatile sun protection product and especially popular because of its minimalist design and the many personalisation options. The well-thought-out design offers you a panoramic view of your garden and plenty of natural light in your home. The B128 is always wall-mounted and combines the advantages of an awning with the assets of a patio roof.

**B128**

Frame: RAL 7016 ST | Fabric: Souris 8396

**B128**

Frame: RAL 9016 ST | Fabric: Naples Grey




Optional: motorised 1 m valance
running on solar power + battery




- **A** For more privacy, install fixed vertical screens to fully enclose the B128 P on the sides.
- **B** ZIP screen (maximum projection B128 P ≤ 4m).
- **C** Optional B1100/B1350 (Solar) front screen.

## OPTIONS

LED lighting in posts, side rails and support beam

Adjustable foot for the best possible drainage

Wall connection profile

Horizontal profile to secure solar screen in front

## OPERATION

Somfy RTS remote control

Somfy IO remote control

## MAX.DIMENSIONS

6 m x 5 m (without valance)

5 m x 5 m (with valance)

## STANDARD COLOURS

RAL 7016 ST

RAL 9016 ST

OPTION

All other RAL colours optionally available

## SPECIFICATIONS

- Minimalist aluminium pergola with rainproof Fabric
- Retractable fabric roof with ZIP screen technology
- Overhang possible (up to 1/3 projection, 1 m maximum)
- Compact posts and guides measuring 80 x 80 mm
- Motorised solar-powered valance + battery up to 1 m

Optional: adjustable foot

**B128**

Frame: RAL 9016 ST | Fabric: Grey



Integrated drainage through post

LED lighting possible in posts, side rails and support beam



The fabric roof is held tightly into the guides thanks to the continuous tension of the ZIP screen technology.

## B128 P LINKED



### Specifications

- Single central support post, but always with two girders.
- Both roofs can drain through the connecting post..
- The connecting post cannot be provided with a LED strip.

# CHARACTERISTICS AND OPTIONS

PERSONALISE YOUR AWNING

If you wish to add even more comfort or create a personalised awning, there is a wide range of options available.

**Remote control and/or smartphone operation**

All awnings are motorised by default. Optionally, the motor can be operated by remote control.

**Front rail support**

To increase your awnings' sturdiness and stability, they can be fitted with two optional front rail supports, depending on the type of awning.

**Patio heating**

A 2,000 W heating element allows you to continue to enjoy the outdoors long after the summer.

**LED lighting**

Nearly all our retractable awnings can be fitted with LED mood lighting to illuminate your patio, even when retracted.

**Standard or RAL colours**

Awnings are available in standard and RAL colour ranges.

**Valance**

Add a valance at the front for more shade.

**Intermediate roller**

Applicable for linked screens.

LED lighting

Heating element

Intermediate roller

Front rail support

# FABRICS

OVERVIEW OF CURRENT FABRICS

| | ACRYL | POLYESTER | FIBREGLASS |
|---|---|---|---|
| **COLLECTIONS** | Dickson Orchestra<br>Sattler Elements Solid 314<br>Sattler All-Weather<br>Sattler Lumera Landscape | Soltis 86<br>Soltis 88<br>Soltis 92<br>Soltis 96 | Sergé 600<br>Sergé 1%<br>Sergé 600 Solar / Lunar Blockout |
| **MATERIAL** | Woven with 100% rot-proof polycarbonate yarn in the mass. | Polyester textile fabric manufactured using Precontraint Ferrari Technology | 42% fibreglass + 58% PVC |
| **BENEFITS** | ✓ Water-repellent<br>✓ Low maintenance thanks to treatment against dirt, mould and mildew<br>✓ 100% colour-fast<br>✓ Total blocking of UV rays (with UPF 50+ label)<br>✓ Visual comfort | ✓ Shape retention<br>✓ Easy to clean<br>✓ 100% colour-fast<br>✓ Durable<br>✓ Extremely resistant to wind and weather | ✓ Shape retention<br>✓ Easy to clean<br>✓ Extremely resistant to wind and weather<br>✓ Unimpeded view out, restricted view in<br>✓ Colour-fast<br>✓ Impervious to heat and damp, mildew-resistant |
| **SUITABLE FOR** | Retractable awnings<br>Drop arm awnings<br>Conservatory awnings | Screens<br>Drop arm awnings<br>Conservatory awnings | Screens |



| | FULLY ENCLOSED CASSETTE | 2 STEEL CABLES ARM 66 MM 5 BEAUFORT | 4 STEEL CABLES ARM 71 MM 5 BEAUFORT | 4 STEEL CABLES ARM 73 MM 6 BEAUFORT | MAXIMUM WIDTH | MAXIMUM PROJECTION | MOTOR WITH SWITCH | MOTOR WITH REMOTE CONTROLL | MOTOR WITH EMERGENCY OVERRIDE | LED STRIP COMPLETE ARM | INTEGRATED LED SPOT IN ELBOW | LED STRIP UNDER CASSETTE | BRUSTOR WHITE | RAL 9001 CREAM | RAL 7016 ANTHRACITE GREY TEXTURED | ANODISED 20 µM | RAL 9005 ST | VALANCE | MOTORISED VALANCE |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B24 Elite | ✓ | | ✓ | | 14 | 3,75 | ✓ | ✓ | option | option | | option | ✓ | ✓ | ✓ | ✓ | ✓ | option | |
| B24 Prestige | ✓ | | | ✓ | 14 | 3,75 | | ✓ | option | | option | option | ANY RAL COLOUR AT NO ADDITIONAL CHARGE | | | | | option | |
| B25 | ✓ | ✓ | | | 14 | 3 | ✓ | ✓ | option | | | option | ✓ | ✓ | ✓ | ✓ | ✓ | option | |
| B25 Elite | ✓ | | ✓ | | 14 | 3,75 | ✓ | ✓ | option | option | | option | ✓ | ✓ | ✓ | ✓ | ✓ | option | option |
| B25 Prestige | ✓ | | | ✓ | 14 | 3,75 | | ✓ | option | | option | option | ANY RAL COLOUR AT NO ADDITIONAL CHARGE | | | | | option | option |
| B27 | ✓ | ✓ | | | 14 | 3 | ✓ | ✓ | option | | | option | ✓ | ✓ | ✓ | ✓ | ✓ | option | |
| B27 Elite | ✓ | | ✓ | | 14 | 3,75 | ✓ | ✓ | option | option | | option | ✓ | ✓ | ✓ | ✓ | ✓ | option | |
| B27 Prestige | ✓ | | | ✓ | 14 | 3,75 | | ✓ | option | | option | option | ANY RAL COLOUR AT NO ADDITIONAL CHARGE | | | | | option | |
| B35 Elite | option | | | | 15 | 4 | ✓ | ✓ | option | option | | option | ✓ | ✓ | ✓ | ✓ | ✓ | option | |
| B35 Prestige | option | | | ✓ | 15 | 4 | | ✓ | option | | option | option | ANY RAL COLOUR AT NO ADDITIONAL CHARGE | | | | | option | |
| B38 Elite | option | | | | 6 | 3,5 | ✓ | ✓ | option | option | | option | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ |
| B38 Prestige | option | | | ✓ | 6 | 3,5 | | ✓ | option | | option | option | ANY RAL COLOUR AT NO ADDITIONAL CHARGE | | | | | | ✓ |
| B50 | ✓ | ✓ | | | 5,5 | 3 | ✓ | ✓ | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | option | |
| B50 S | ✓ | ✓ | | | 5,5 | 3 | ✓ | ✓ | | | | option | ✓ | ✓ | ✓ | | ✓ | option | |
| B50 XL | ✓ | | ✓ | | 6 | 3,5 | ✓ | ✓ | | option | | option | ✓ | ✓ | ✓ | ✓ | ✓ | option | |

## A SUCCESSFUL FAMILY BUSINESS

Brustor is a family business that has focused exclusively on the production of high-quality patio roofs, awnings and screens for several decades. Innovation, quality and exceptional technology remain the keys to our success. We also benefit from years of experience, allowing us to respond to any demand.

## LEADING EUROPEAN PLAYER

Since its founding, Brustor has grown to be a strong international player in the sun protection market. The inhouse production occurs in our 50.000m² production hall in Gullegem (BE), an our new, 25.000m² production hall in Geluwe (BE), from where our products are transported worldwide to 30 countries. Our warehouse continues to expand as well, ensuring rapid delivery of your orders.

## OUR PEOPLE MAKE THE DIFFERENCE

Our employees are our most important asset. Skilled people who think and act innovatively. Whether they're operating our machines with care, handling sales tasks, installing products or investigating innovative technologies, our staff are all experienced, motivated, customer-oriented people who put quality first.

## STATE-OF-THE-ART EQUIPMENT

Top quality products demand well-oiled machinery capable of handling the most advanced production and assembly techniques. Operated by highly trained people, our state-of-the-art machines are the acme of precision. High productivity guaranteed. Thanks to a modern powdercoating system, each colour can be realised on our own site.

CERTIFIÉ CSTB CERTIFIED

## CE CERTIFICATION

All Brustor shading products comply with European safety standards.

BRUSTOR®
OUTDOOR SUN SYSTEMS

Muizelstraat 20 | 8560 Gullegem | Belgium
T +32 (0)56 53 18 53 | info@brustor.com

**www.brustor.com**

Outdoor Living

Awnings

Conservatory awnings

Screens

1600440-EN | Versie 2022-1 | V.U. Lieven Brutsaert, Muizelstraat 20, 8560 Gullegem